



WOLF HOME PRODUCTS®

RAILING AND OUTDOOR LIGHTING

WOLF DISTINCTION™ RAILING
HIGH-DENSITY CELLULAR™ TECHNOLOGY

Timeless Appeal.
Modern Advantages.





AVAILABLE IN

- 6' and 8' rail sections
 - can be used for both flat and stair
- All-in-one kits
 - include top and bottom rails, baluster, brackets and hardware
- White

WOLF DISTINCTION RAILING

1. AUTHENTICRADIUS™ HANDRAILS

This handrail features elegant curves and a flat top for a beverage-friendly surface. Constructed using Wolf's high-density cellular technology, this handrail provides the look and feel of real wood.

2. STRUCTURAL-GRADE ALUMINUM H-CHANNEL

The aluminum h-channel provides code-compliant strength for both residential (IRC) and light commercial (IBC) applications. This UV- and weather-resistant component features an AAMA-certified coating applied to meet Powder Coating Institute's exacting standards.

3. HIDEAWAY™ WIRING CHANNEL

Built with aesthetics in mind, the **Hide**Away track allows Wolf Outdoor Lighting wiring to be fully concealed, yet easily accessible.

4. SOLIDCORE™ BALUSTERS

Strong to the core, the high-density cellular balusters provide the same look of genuine milled wood. Their secure connection eliminates the rattle you would experience with routed systems.



5. POST SLEEVES

One-piece post sleeves allow for quick and easy installation.

6. ACCESSORIES

Complete your Wolf Distinction Railing design with a variety of accessories including post caps, trim rings and optional Wolf Outdoor Lighting.

7. OPTIBRACKET™

This innovative bracket provides hidden construction that's strong, secure and seamless — eliminating the need for exposed brackets, flanges or mounts. **Opti**Bracket does the work of four connectors by securely attaching 22.5°, 45°, 90° and stair sections. This streamlined approach works with any rail section length and provides fully hidden support for a simpler, cleaner finish.



90°



22.5°



45°



STAIR



SECURELOCK™ ASSEMBLY

Better than real wood, Wolf Distinction Railing's beauty extends beyond its appearance. **SolidCore** balusters are secured with stainless steel fasteners unlike routed systems that may rattle and creak. The **OptiBracket** and aluminum h-channel combine to create a handrail that is strong and secure.

ENDURADRY™

The high-density cellular construction of Wolf Distinction Railing makes it ultra-resistant to water absorption and insect infestation damage. Our **EnduraDry** formulation helps protect your railing from the long-term water damage, rot, swelling, cracking, mold and delamination often found with older wood railing systems.



PERFECTSYMMETRY™

Great railing construction is never about approximation, and with Wolf Distinction Railing, craftsmanship and accuracy go hand in hand. Our **PerfectSymmetry** baluster alignment and installation system ensures that the balusters of each railing section are perfectly parallel, balanced and symmetrical for a clean, uniform look.

PERFECTARCHITECTURE™

Wolf Distinction Railing features the look of authentic wood railings, designed with innovative materials for low-maintenance performance.

WOLF RAILING

Seamlessly Combines Simplicity,
Versatility and Affordability.





TRADITIONAL WITH
BLACK ROUND BALUSTERS



DECK BOARD WITH
SQUARE BALUSTERS

A RAILING SYSTEM THAT SEAMLESSLY COMBINES SIMPLICITY, VERSATILITY AND AFFORDABILITY.



QUALITY

Wolf Railing installs easily and provides both design and budget flexibility. Ultimately built to perform, our low-maintenance railing will maintain its good looks for years to come. Plus, its design and engineering give it the strength and durability to exceed both IRC and IBC Codes for residential and commercial applications.

STYLES

Available in 4', 5', 6', 8' and 10' sections.



Traditional
(Available in double aluminum and 42")



Deck Board
(Decking sold separately)

AFFORDABILITY

Wolf Railing starts at a price point that's appealing to homeowners and contractors alike. The ability to mix and match elements of the system gives you countless design options and makes it easy to hit the price point you need to stay on budget.

WOLF RAILING FEATURES

Rigid and durable aluminum-reinforced vinyl with TiO2 UV inhibitors

Low maintenance — never paint, stain or seal again

Concealed fastener brackets

All-in-one kits include top/bottom rail, balusters, aluminum channel, fasteners and brackets

Exceptionally strong and durable

100% recyclable

Lifetime Limited Warranty

ICC code approved for both residential and commercial - ESR-3415

Compatible with Wolf Outdoor Lighting


Pre-routed for a variety of baluster options

BALUSTER OPTIONS


A variety of baluster options provide a range of looks from classic to contemporary, giving you incredible design flexibility. Add in accessories, custom capabilities for curved rail and custom lengths, gate kits and more, and the options are almost too many to count.



Colonial



Square




Round

Round Balusters
Available in:
White
Black (shown)
Bronze



Scenic Clear View Glass



Decorative Baluster Options*

SPECIALTY BALUSTERS

For that one-of-a-kind look, specialty balusters—including acrylic panel, 4-inch glass, and black square aluminum—make a bold, unique statement.



4" GLASS BALUSTER



ACRYLIC PANEL

*Baroque and Arc available in Black and Bronze. Balusters shown are for example only — not all available styles or rail/baluster combinations are shown.

VERSATILITY

With so many design options, the possibilities are virtually endless.



Value Series White Traditional Rail, Colonial White Vinyl Baluster



Value Series Almond Traditional Rail, Almond Square Vinyl Baluster, New England Classic Post Cap



Classic Series Almond Traditional Rail, Deckorators Classic Black Baluster with Basket, New England Classic Post Cap with Black Topper



Classic Series Almond Traditional Rail, Deckorators Classic Bronze Baluster with Collar, New England Classic Post Cap with Tiffany Topper




Deluxe Series White Designer Rail, Deckorators Black Arc Baluster



Deluxe Series White Designer Rail, Deckorators Bronze Baroque Baluster, New England Classic Post Cap with Copper Topper

WOLF RAILING COLOR OPTIONS



Wolf Stock

RAIL BRACKETS AND MOUNTING HARDWARE

All the right bracket and hardware configurations to keep every design fastened and secure.

STANDARD BRACKETS



Traditional Bracket

Designer Bracket

BRACKET ADAPTERS



Universal 45° Angle Adapter

Universal 22.5° Angle Adapter

Universal Round Column Adapter

STAIR BRACKETS



Traditional



Designer

MULTI-ANGLE BRACKETS



Traditional Flat

Traditional Stair



Designer Flat

Designer Stair



DECK BOARD BRACKETS



Deck Board Flat Bracket



Designer Field Cut



Deck Board Rail Mounting Plate


FINISHING TOUCHES

A full array of accessories help you complete your railing system with the exact look you want.

POST CAPS




POST CAPS FOR WOLF OUTDOOR LIGHTING




POPTOP POST CAP SYSTEM




POST TRIM



ANGLE WIZARD AND POST MOUNT AND HARDWARE



POST & POST SLEEVES



*For more details, visit poptoppostcap.com

GATES AND HARDWARE

With an innovative concealed fastening system, there are no exposed fasteners, giving a clean, sleek appearance.



WOLF SPECIALTY ITEMS

When it comes to completing the look of an outdoor living space, details matter. Wolf specialty items complement every style and budget.



WESTBURY ALUMINUM RAILING

Designed with Elegance.
Engineered for Strength.





WESTBURY: TUSCANY C10

WESTBURY TUSCANY (STYLE C10)

The Tuscan Series adds a touch of class with classic 2-rail designs. These designs are accented with a stylish top rail and 3/4" square or round balusters along with a variety of satin, textured, and multi-colored finishes, and a lifetime limited warranty. Featuring classic designs to warm your heart as you are greeted home.

WESTBURY TUSCANY SPECIFICATIONS

Railing Heights: 36", 42"

Railing Lengths: 4', 5', 6', 7', 8'

Stair Rail Lengths: 4', 5', 6', 7', 8'

C10 Baluster: 3/4" x 3/4"

Stylish Top Rail: 1-3/4" W x 1-3/8" T

Bottom Rail: 1-3/4" W x 1-1/4" T

Vinyl Insert Baluster Retainer (Top and Bottom Rails)

Bottom Rail Support: 7', 8'

Adjustable Gates: 36" W, 48" W,
and 60" W Openings

Compatible with Wolf Outdoor Lighting
(See pages 22-25 for more details)

NOTE: Baluster end spacing may vary by length. All sections do not come out even on each end as shown above.



Top Rail Profile



Bottom Rail Profile

A stylish 1-3/4" x 1-3/8" top rail combined with the 1-3/4" x 1-1/4" classic bottom rail creates a streamlined design sure to appeal to those with a touch of class.

POWDER COATING

DSI uses AAMA 2604-rated powder coating on all Westbury Aluminum Railing. Our PCI-4000 Certified Powder Coating process offers an uncompromising quality created by state-of-the-art technology. AAMA 2605 Powder Coating is also available as an option for your Westbury Aluminum Railing.

For color swatches and additional information, visit wolfhomeproducts.com.



WESTBURY: VERTICABLE C80

WESTBURY VERTICABLE® (STYLE C80)

VertiCable offers contemporary vertical cables and balusters providing an architectural style and virtually unobstructed views. All sections are factory assembled, tensioned, and shipped on pallets ready for quick installation. VertiCable hardware mirrors Westbury C-Series products, allowing consistent design, performance and configuration for the contractor or builder. VertiCable is available in 12 standard AAMA 2604-compliant powder-coated colors. Custom AAMA 2604 colors are available as special order. AAMA 2605 colors are all special order.

WESTBURY VERTICABLE SPECIFICATIONS

Section Heights: 36", 42"

Section Lengths: 4', 5', 6', 7', 8'
(7' & 8' in 36" height only)

Stair Rail Lengths: 4', 5', 6'

C80 Baluster: 5/8" round

Cable Spacing: 3" C/C

Stylish Top Rail: 1-3/4" W x 1-3/8" T

Bottom Rail: 1-3/4" W x 1-1/4" T

1/8" Stainless Steel Cable with Fasteners

Stair Sections Rack 29° - 40° with
Standard Stair Mounts

Powder Coating
(See page 18 for more details)



WESTBURY: VERTICABLE C80




WESTBURY: VERTICABLE C80



WESTBURY SCREENRAIL

Westbury ScreenRail is designed with the essential elements in mind. With a variety of designs, colors and textures, you have the power to decide what fits your home. Whether you are adding ScreenRail to the front of your home or to the deck in the back, Westbury ScreenRail can turn your home into a welcoming retreat.

WESTBURY SCREENRAIL SPECIFICATIONS	
Railing Heights:	36", 42"
Railing Lengths:	4', 6', 8'
Rail Size:	2" W x 1-1/4" T
Baluster Size:	3/4" x 3/4"
Frame Rail Size:	2" W x 1-1/4" T
Frame Rail Lengths:	8-1/2', 12'
Post Size:	2" x 2"
Post Lengths:	8-1/2', 9-1/2', 11-1/2'
Door* Widths:	32", 36", 48"
Door* Height:	80"
Heavy-duty kick panel available	
Powder Coating (See page 18 for more details)	



WESTBURY VERANDA (STYLE C70)

Veranda creates a phenomenal viewing area. The crystal-clear design incorporates full glass panels into the classic 2-rail design. Whether you have a view of land or water, Veranda gives you an open look with the security of full railing sections.

WESTBURY VERANDA SPECIFICATIONS	
Railing Heights:	36", 42"
Railing Lengths:	4', 5', 6'
Stair Rail Lengths:	Custom Ordered
Glass Panel:	1/4" Tempered Glass Standard
Standard Glass Panel Color:	Clear
Special Order Colors:	Bronze, Grey
Optional 3/8" Tempered Glass Rails Available (3/8" Glass NOT Available Through DSI)	
Stylish Top Rail:	1-3/4" W x 1-3/8" T
Bottom Rail:	1-3/4" W x 1-1/4" T
EPDM Gasket:	Top and Bottom Rails
Welded Gates:	36" W, 48" W, and 60" W Openings (Custom Sizes Available through Tech Services)
Powder Coating (See page 18 for more details)	
NOTE: Glass end spacing may vary if rails are cut down. All sections do not come out even on each end as shown above.	



Top Rail Profile



Bottom Rail Profile

The stylish top rail and classic bottom rail securely hold glass panels in place.

*Assembled universal door (right- or left-hand hinge) with heavy-duty frame (Outward Swing only).
For color swatches and additional information, visit wolfhomeproducts.com.

CCRR-0163 complies with IBC, IRC, and FBC.
For color swatches and additional information, visit wolfhomeproducts.com.

WOLF OUTDOOR LIGHTING

Sun Goes Down,
Sophistication Goes Up.



WOLF OUTDOOR LIGHTING Ornamental Low-Voltage Combo Post Cap Light; Flush Deck Lights
WOLF DISTINCTION RAILING White
WOLF PERSPECTIVE Potomac Grey



WOLF OUTDOOR LIGHTING Ornamental Low-Voltage Post Cap Light; Dome Side Light
WOLF SERENITY: TROPICAL HARDWOODS Silver Teak

WOLF OUTDOOR LIGHTING

Extend the hours of your outdoor spaces. Wolf Outdoor Lighting illuminates a number of decking areas — including on posts, on stairs, and under railings — with a welcoming glow.

WOLF OUTDOOR LIGHTING FEATURES

Simple and Easy to Install

- Plug together wiring harness – no wires to cut
- Single power supply for all lights
- No need for an electrician or electrical permits

Compatible with Wolf Distinction Railing, Wolf Railing and Westbury Railing

Post Caps available in four sizes – 2", 2.5", 4", 4.25"

- 2" and 2.5" – compatible with Westbury Railing
- 4" – compatible with Wolf Rail and Westbury Railing
- 4.25" – compatible with Wolf Distinction Railing

Highly Energy Efficient

- Low-Voltage DC Power Supply
- Dusk to Dawn light sensor
- Available with remote dimmer switch


3,000 Kelvin (K) offers soft lighting for a subdued setting

Long Lasting


- Weather-resistant connectors and lights
- Long-lasting LEDs rated at 50,000 hours
- Housings are durable and UV stable

Built-in Bluetooth controls

COLORS



White (WHT)



Black (BLK)



Textured Black (TBK)

CAP STYLES



ORNAMENTAL CAP
0 Watts

Size	Product #	Wolf Stock	Special Order
2"	1740	WHT, TBK	BLK
2.5"	1741		WHT, BLK, TBK
4"	1775	WHT	BLK, TBK
4.25"	1790	WHT	



ORNAMENTAL DOWNWARD LOW-VOLTAGE POST CAP LIGHT
.8 Watts
(Shines Downward)

Size	Product #	Wolf Stock	Special Order
2"	1744	WHT, TBK	BLK
2.5"	1745		WHT, BLK, TBK
4"	1776	WHT	BLK, TBK
4.25"	1792	WHT	



ORNAMENTAL LOW-VOLTAGE POST CAP LIGHT
.8 Watts
(Shines Outward)

Size	Product #	Wolf Stock	Special Order
2"	1748	WHT, TBK	BLK
2.5"	1749		WHT, BLK, TBK
4"	1777	WHT	BLK, TBK
4.25"	1794	WHT	



ORNAMENTAL LOW-VOLTAGE COMBO POST CAP LIGHT
1.6 Watts
(Shines Downward and Outward)

Size	Product #	Wolf Stock	Special Order
2"	1762	WHT, TBK	BLK
2.5"	1763		WHT, BLK, TBK
4"	1778	WHT	BLK, TBK
4.25"	1796	WHT	

LOW-VOLTAGE LIGHTING, WIRING & TRANSFORMERS



ORNAMENTAL SIDE LIGHT
.4 Watts
(Available in white or black)
Product # 1752WHT
Product # 1752BLK
• Wolf Stock



WIRE HARNESS
(2') - Product # 1626
(5') - Product # 1627
(7') - Product # 1628
(9') - Product # 1629
• Wolf Stock



SIDE/STAIR LIGHT - 2 COVERS
.4 Watts
(Available in white or black)
Product # 1598WHT
Product # 1598BLK
• Wolf Stock



2 OUTPUT SPLITTER
Product # 1630
• Wolf Stock



DOME SIDE LIGHT
.8 Watts
(Available in white or black)
Product # 1599WHT
Product # 1599BLK
• Wolf Stock



5 OUTPUT SPLITTER
Product # 1631
• Wolf Stock



DOME SIDE LIGHT SCALLOPED LENS
.8 Watts
(Available in white or black)
Product # 1680WHT
Product # 1680BLK
*Special Order



LED STRIP LIGHT
(68") - Product # 1686
(92") - Product # 1687
*Special Order



FLUSH DECK LIGHT
.4 Watts
Product # 1600
• Wolf Stock



U-CHANNEL FOR LED STRIP LIGHT
(68") - Product # 1693WHT
(92") - Product # 1694WHT
*Special Order



3" UNDER- RAIL LIGHT
.4 Watts
(Available in white or black)
Product # 1649WHT
Product # 1649BLK
• Wolf Stock



U-CHANNEL FOR LED STRIP LIGHT
(72") - Product # 1738BLK
(96") - Product # 1739BLK
*Special Order



12-WATT POWER SUPPLY
Product # 1589
• Wolf Stock



50-WATT POWER SUPPLY (DIMMER INCLUDED)
Product # 1590
• Wolf Stock















DIMMER FOR 12 WATT
Product # 1669
*Special Order

ADA-COMPLIANT SOLUTIONS

Our system provides all the components required to meet Americans with Disabilities Act standards. Compatible with Wolf Distinction Railing, Wolf Railing and Westbury Aluminum Railing.

PVC ADA HANDRAIL


Made of PVC with aluminum reinforcement.

1	ADA Handrail w/ Aluminum Insert	
2	6" Straight Joiner	
3	4" Inside/Outside Corner	
4	Straight End Wall Bracket	
5	Inside Corner Bracket	
6	End Cap	
7	P-Loop Return	
8	6" Adjustable Joiner	
9	90° Quick Return Bracket	
10	External Swivel	
11	Stand Off Bracket	
12	Radius Bend	

WOLF STOCK COLOR















White



ALUMINUM ADA HANDRAIL

Uses AAMA 2604-rated powder coating

1	1-3/8" Handrail	
2	Internal Connector	
3	Collar Rings (to cover splice)	
4	180° Elbow	
5	Wall Return	
6	Adjustable Elbow (90° - 180°)	
7	90° Elbow	
8	Inside Corner Mount (attaches to post)	
9	Internal End Cap	
10	Wall Mount	
	Extended Wall Mount (for use with deck board rail)	
	Wall-End Mount	

WOLF STOCK COLORS



White



Textured Black





Wolf Home Products® is an innovator in the building products industry. We've cultivated more than 175 years of business experience into a total satisfaction guarantee. With our vast inventory of kitchen and bath, outdoor living and building products, we deliver your orders in a fraction of the time and ensure you get unparalleled value — when and where you need it. Wolf stands behind our service because, above all, Wolf stands behind you.

For a complete line of Wolf products, including these items and more, please visit our website.



Kitchen & Bath



Outdoor Living



Building Products

wolfhomeproducts.com | © 2019 Wolf Home Products. All Rights Reserved.

All photos are representative of product. Please review an actual product sample with your dealer before making your final selection. Information contained within is subject to change without notice.